

Hybrid Pro Rental Kit: Hybrid Pro Modular Kit 04



TEMPLATE @ 1/2 SIZE

Dye Sub Graphic Panels A and I

Total Graphic Area: 39.3125" w x 39.3125" h

Finished Graphic Area: 35.3125" w x 35.3125" h

Dye Sub Graphic Panels B and H

Total Graphic Area: 39.3125" w x 39.3125" h

Finished Graphic Area: 35.3125" w x 35.3125" h

(Graphics have obstructions)

UV Graphic Panels: C, D, F, G

Total Graphic Area: 9.34" w x 43.625" h

Finished Graphic Area: 8.34" w x 42.625" h

Visual Area: 5.875" w x 41.125" h

Dye Sub Graphic Panels E

Total Graphic Area: 98.375" w x 98.375" h

Finished Graphic Area: 94.375" w x 94.375" h

Dye Sub Graphic Panels J (sheer)

Total Graphic Area: 115" w x 43" h

Finished Graphic Area: 111" w x 39" h

Please be sure to include a 2" bleed
around the perimeter of the dyesub graphics.

Please be sure to include a .5" bleed
around the perimeter of the UV graphics.

Please consider obstructions and spaces
created by the extrusions when designing
your graphics.

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should
be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi @
1/2 size, 100-120 ppi @ full size
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must
bleed to the edge of artboard
- Do not use spot colors from template
in your artwork as they will not print

PANEL A (Outside)

A diagram showing a rectangular panel with a dashed border. The panel is light gray and contains the text "PANEL B (Inside)". A dark gray triangular shape is cut out from the top-right corner of the panel. The dashed border is black and follows the perimeter of the panel.

PANEL B (Inside)

PANEL C

PANEL D

PANEL E


PANEL F

PANEL G



PANEL H (Inside)

bleed area —
trim line —
safe zone —





PANEL I (Outside)

PANEL J (Sheer)