


Zoom Flex Extra Large Fiber Flag

ZOOM-FLX-XL-2
ZOOM-FLX-XL-E

The Zoom Flex Extra Large Flag is a towering solution for your display needs. The flag can extend over 18 feet in height, depending on which shape option is being used (Feather, Straight, Teardrop and Edge shapes are available). Despite its size, Zoom Flex is lightweight, wind resistant, portable and durable. Ground stake and storage bag are included. Product not designed to withstand adverse weather or high wind. Weather damage is not covered by product warranty.



EDGE

TEARDROP

STRAIGHT

FEATHER



This product may include the following materials for recycle:
aluminum, select wood, fabric, cardboard, paper, steel, and plastics.

We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- Can be used indoors or out
- Graphic rotates in wind
- Ground stake and storage bag included
- Water fillable donut adds stability to the floor base (recommended)
- Four graphic shape options: Flex- Feather, Straight, Teardrop, and Edge- rectangle.
- Additional sizes available
- Includes carry bag or case
- Double-sided graphic available
- One year hardware warranty against manufacturer defects

dimensions:

Hardware

Graphic

Assembled unit:

Maximum (dimensions may vary based on shape)

FLEX: 34.63" w x 223.75" h x 1.75" d
880mm(w) x 5684mm(h) x 45mm(d)

FLEX-EDGE: 46" w x 202.1" h x 1.75" d
1168mm(w) x 5133mm(h) x 45mm(d)

Six month warranty.

Visit:

<https://www.theexhibitorshandbook.com/download-graphic-templates>

additional base options:

Shipping

Shipping dimensions (hardware only):

FLEX: 49" l x 4" h x 4" d
1245mm(l) x 102mm(h) x 102mm(d)

FLEX-EDGE: 57" (l) x 6" (w) x 4" (d)
1449mm(l) x 152mm(w) x 102mm(d)

Approximate total shipping weight:

FLEX: 8lbs / 4 kg
FLEX-EDGE: 9lbs / 5kg



*For best performance drive the flag holder in flush to the ground

*See supplement for more information on bases

additional information:

Double-sided graphic includes opaque liner.

Graphics will pack in a separate box.


For applications below 40° ,use sand in place of water.

Wind rating: 37mph / 60kph max

Use in adverse weather voids all warranties.


SET-UP ZOOM-FLEX

Flag Size:	Number of Poles
Small	3
Medium	4
Large	4
Extra Large	5








SET-UP ZOOM-FLEX-EDGE





Flag Size:	Number of Poles
Small	3
Medium	4
Large	4
Extra Large	5



Attaching Graphic for ZOOM-FLEX




Attaching Graphic for ZOOM-FLEX-EDGE



Zoom Flag Bases

Zoom Cross Base




ZOOM-FLX-CB

*Water ring recommended

Assembled dimensions and weight:
31"W x 6.75"H x 24"D 4lbs
Shipping dimensions and weight:
32"L x 4"H x 2"D 5lbs

Zoom Square Steel Base



5/8" Diameter

ZOOM-FLX-SQ

*Water ring recommended

Assembled dimensions and weight:
17.5"W x 5"H x 17.5"D 28lbs
Shipping dimensions and weight:
19"L x 18.5"H x 3.5"D 30lbs

Zoom Water Ring Base Support



ZOOM-FLX-WR

*Holds up to one gallon of liquid

Assembled dimensions and weight:
20.28"W x 5"H x 20.28"D 11lbs
Shipping dimensions and weight:
8"L x 4"H x 4"D 2lbs

Zoom Fillable Base



5/8" Diameter

ZOOM-FLX-FB

*Holds up to 7 gallons of liquid

Assembled dimensions and weight:
19.7"W x 10.25"H x 19.7"D 7lbs
Shipping dimensions and weight:
22"L x 21"H x 10"D 9lbs

Zoom Ground Stake Base

5/8" Diameter



ZOOM-FLX-STK

Ground Stake

Assembled dimensions and weight:
23.75"W x 1.25"H x 1.77"D 3lbs
Shipping dimensions and weight:
25"L x 2"H x 2"D 4lbs

Zoom Auger Base




ZOOM-FLX-AGR

Screw in plastic base

Assembled dimensions and weight:
8.88"W x 21.75"H x 3.75"D 3lbs
Shipping dimensions and weight:
24"L x 6"H x 6"D 4lbs

Zoom Drive-Over Base



5/8" Diameter

ZOOM-FLX-DO

Capable of being driven on or over

Assembled dimensions and weight:
23.62"W x 5.71"H x 7.87"D 14lbs
Shipping dimensions and weight:
24"L x 10"H x 3"D 16lbs

Zoom Stackable Base

5/8" Diameter



ZOOM-FLX-STCK-BASE

*Holds up to 7 gallons of liquid


Assembled dimensions and weight:
25"W x 11"H x 25"D 8lbs
Shipping dimensions and weight:
27"L x 26"H x 8"D 10lbs

Optional Zoom Flag Accessory

TNT-ZOOM-ACC

Recommended for Small and Medium flags.

Components



Step by Step



Step 1.

Clamp the two accessory pieces to the chosen tent leg.



Step 2.

Lock the accessory pieces in place with the included screws.



Step 3.

Unscrew the pole pin wing nut, slide the pin through the accessory piece hole, and lock in place with the wing nut.

Place your Zoom Flag pole on the pole pin.